
Hitman Documentation

Release 1.2b2

Jack Laxson

Aug 23, 2019

Contents:

1	The Hitman CLI	1
1.1	hitman	1
2	Python 2 Support	5
3	License	7
4	Indices and tables	9
Index		11

CHAPTER 1

The Hitman CLI

1.1 hitman

```
hitman [OPTIONS] COMMAND [ARGS]...
```

Options

```
--debug  
--verbose, --silent
```

1.1.1 add

Add a atom or RSS feed by url. If it doesn't end in .atom or .rss we'll do some guessing.

```
hitman add [OPTIONS] URL
```

Options

```
--force
```

Arguments

URL
Required argument

1.1.2 alias

write aliases to db

```
hitman alias [OPTIONS] ALIAS NAME
```

Arguments

ALIAS

Required argument

NAME

Required argument

1.1.3 config

View Hitman internal settings. Use ‘all’ for all keys

```
hitman config [OPTIONS] [KEY]
```

Options

--all

Arguments

KEY

Optional argument

1.1.4 down

Download a feed’s most recent enclosure that we don’t have

```
hitman down [OPTIONS] NAME
```

Arguments

NAME

Required argument

1.1.5 export

Export an OPML feed list

```
hitman export [OPTIONS]
```

1.1.6 import

Import an OPML file locally or from a URL. Uses your text attributes as aliases.

```
hitman import [OPTIONS] URL
```

Arguments

URL

Required argument

1.1.7 list

List all feeds in plain text and give their aliases

```
hitman list [OPTIONS]
```

1.1.8 rm

remove from database (and delete aliases)

```
hitman rm [OPTIONS] NAME
```

Arguments

NAME

Required argument

1.1.9 select

Note: RSS feeds are counted backwards, default newest is 0, the most recent.

```
hitman select [OPTIONS] [NEWEST] OLDEST NAME
```

Arguments

NEWEST

Optional argument

OLDEST

Required argument

NAME

Required argument

1.1.10 set

Set Hitman internal settings.

```
hitman set [OPTIONS] [VALUE] KEY
```

Arguments

VALUE

Optional argument

KEY

Required argument

1.1.11 unalias

sometimes you goof up.

```
hitman unalias [OPTIONS] ALIAS
```

Arguments

ALIAS

Required argument

CHAPTER 2

Python 2 Support

version 2 of hitman will drop python 2 support. 3.7+ will be encouraged.

CHAPTER 3

License

GPL v3 or later.

CHAPTER 4

Indices and tables

- genindex
- modindex
- search

Symbols

-all
hitman-config command line option, 2
-debug
hitman command line option, 1
-force
hitman-add command line option, 1
-verbose, -silent
hitman command line option, 1

A

ALIAS
hitman-alias command line option, 2
hitman-unalias command line option,
4

H

hitman command line option
-debug, 1
-verbose, -silent, 1
hitman-add command line option
-force, 1
URL, 1
hitman-alias command line option
ALIAS, 2
NAME, 2
hitman-config command line option
-all, 2
KEY, 2
hitman-down command line option
NAME, 2
hitman-import command line option
URL, 3
hitman-rm command line option
NAME, 3
hitman-select command line option
NAME, 3
NEWEST, 3
OLDEST, 3

hitman-set command line option
KEY, 4
VALUE, 4
hitman-unalias command line option
ALIAS, 4

K

KEY
hitman-config command line option, 2
hitman-set command line option, 4

N

NAME
hitman-alias command line option, 2
hitman-down command line option, 2
hitman-rm command line option, 3
hitman-select command line option, 3
NEWEST
hitman-select command line option, 3

O

OLDEST
hitman-select command line option, 3

U

URL
hitman-add command line option, 1
hitman-import command line option, 3

V

VALUE
hitman-set command line option, 4